



Seeing is
Believing



www.etecheextended.com



Are you in need of Our Service?

"WHERE IS YOUR TREASURE, THERE IS OUR MIND".
WELL SAID ABOUT THE WORKING OF HUMAN MIND.
WHAT ALL ARE OUR TREASURES?
OUR FAMILY, HOME, BUSINESS, OFFICES...

Wherever we go, the question whether
our treasures are safe or not haunts us.
How can you believe that your dear ones and assets are safe?
Joy by seeing them safe... because seeing is believing.
You need us because you need happiness, peace of mind
and protection of your treasures.



Extended
Technologies is
a CCTV Digital
Security Solution &
Engineering Oriented
Company

Extending our services to Asian continent in 2016.
The etech CCTV solution are most cost effective
surveillance solutions suitable for indoor & outdoor
applications, including colleges, schools, hotels, hospitals,
commercial sites, retail stores, warehouses, banks. From
most advanced & reputed companies in Middle East,
Europe & USA are using our security systems.
Professionalism in all stages including requirement
analysis, production selection, product installation,
maintenance and support.

Warranties, Support & Service from Ahmedabad, Kochi,
Dubai & Abu Dhabi in Asia. We aim to provide international
standards CCTV products cost effectively.

Our Product Range

The etech cameras are most cost-effective surveillance solutions suitable for indoor and outdoor applications, including colleges, schools, hotels, hospitals, commercial sites, retail stores, warehouses, banks and more.

OUR PRODUCTS INCLUDES:

DOME HD-IP CAMERAS (FIXED LENS)

DOME HD-IP CAMERAS (VARIFOCAAL LENS)

WEATHERPROOF HD-IP CAMERAS (FIXED LENS)

WEATHERPROOF HD-IP CAMERAS (VARIFOCAAL LENS)

FISHEYE IP CAMERA

BOX IP CAMERA

4-IN-1 HD CAMERAS

DOME HD CAMERAS (FIXED LENS)

DOME HD CAMERAS (VARIFOCAAL LENS)

WEATHERPROOF HD CAMERAS (FIXED LENS)

WEATHERPROOF HD CAMERAS (VARIFOCAAL LENS)

MINIATURE DOME CAMERA(FIXED LENS)

MINIATURE CAMERA AHD CCTV CAMERAS (1.0 MP, 1.3 MP, 2.0 MP, 3.0 MP AND 4MP)

- Real time high resolution image
- CMOS progressive scan
- True Day/Night Capability
- Minimum illumination: 0 Lux (IR on)
- TDN (IR-Cut), AWB, AGC, DWDR, Defog
- 3.6mm Lens
- IR distance: Upto 20, 30, 40 & 60 meters
- Power:12VDC
- Vandal resistant
- Dual Output AHD & CVBS & much more....



AHD Dome Cameras



etech KHD 120D
 IR LED 14µ x 18PCS
 IR LED Range 20M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 20M
 Infrared Distance 20M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 220D
 IR LED 14µ x 18PCS
 IR LED Range 20M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 20M
 Infrared Distance 20M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD125D
 IR LED 14µ x 18PCS
 IR LED Range 25M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 25M
 Infrared Distance 25M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 225D
 IR LED 14µ x 18PCS
 IR LED Range 25M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 25M
 Infrared Distance 25M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 130D
 IR LED 14µ x 18PCS
 IR LED Range 30M
 Resolution 720P/960P/1080P
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 30M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 230D
 IR LED 14µ x 18PCS
 IR LED Range 30M
 Resolution 3MP/4MP
 Effective Pixels 2048(H)*1536(V)/2688(H)*1520(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 30M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES

AHD Bullet Cameras



etech KHB 120D
 IR LED 14µ x 18PCS
 IR LED Range 20M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 20M
 Infrared Distance 20M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 125D
 IR LED 14µ x 20PCS
 IR LED Range 25M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 25M
 Infrared Distance 25M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 130D
 IR LED 14µ x 18PCS
 IR LED Range 30M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 30M
 Infrared Distance 30M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 140D
 IR LED 42µ x 4PCS
 IR LED Range 40M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 2.8-12mm Manual Zoom Lens
 Focus Length 40M
 Infrared Distance 40M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 160D
 IR LED 14µ x 48PCS
 IR LED Range 60M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 2.8-12mm Manual Zoom Lens
 Focus Length 60M
 Infrared Distance 60M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 190D
 IR LED 42µ x 2PCS
 IR LED Range 90M
 Resolution 720P/960P/1080P/3MP/4MP/5MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)/3096(H)*2080(V)
 Board Lens 2.8-12mm Manual Zoom Lens
 Focus Length 90M
 Infrared Distance 90M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES

IP Dome Cameras



etech KHD 120D
 IR LED 14µ x 18PCS
 IR LED Range 20M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 20M
 Infrared Distance 20M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 220D
 IR LED 14µ x 18PCS
 IR LED Range 20M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 20M
 Infrared Distance 20M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD125D
 IR LED 14µ x 18PCS
 IR LED Range 25M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 25M
 Infrared Distance 25M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 225D
 IR LED 14µ x 18PCS
 IR LED Range 25M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 25M
 Infrared Distance 25M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 130D
 IR LED 14µ x 18PCS
 IR LED Range 30M
 Resolution 720P/960P/1080P
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 30M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHD 230D
 IR LED 14µ x 18PCS
 IR LED Range 30M
 Resolution 3MP/4MP
 Effective Pixels 2048(H)*1536(V)/2688(H)*1520(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 30M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES

IP Bullet Cameras



etech KHB 120D
 IR LED 14µ x 18PCS
 IR LED Range 20M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Board Lens 3.6mm/F2.0
 Focus Length 20M
 Infrared Distance 20M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 125D
 IR LED 14µ x 20PCS
 IR LED Range 25M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 25M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 130D
 IR LED 14µ x 18PCS
 IR LED Range 30M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 30M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 140D
 IR LED 42µ x 4PCS
 IR LED Range 40M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 40M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 160D
 IR LED 14µ x 48PCS
 IR LED Range 60M
 Resolution 720P/960P/1080P/3MP/4MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 60M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES



etech KHB 190D
 IR LED 42µ x 2PCS
 IR LED Range 90M
 Resolution 720P/960P/1080P/3MP/4MP/5MP
 Effective Pixels 1280(H)*720(V)/1280(H)*960(V)/1920(H)*1080(V)/2048(H)*1536(V)/2688(H)*1520(V)/3096(H)*2080(V)
 Focus Length 2.8-12mm Manual Zoom Lens
 Infrared Distance 90M
 Day/Night Color/ B&W (IR-CUT)
 Compression H.264/JPEG, Support record AVI format.
 Image Config Saturation/Brightness/Contrast /Sharpness, Mirror, 3D NR , White Balance, BLC, FLK(Flicker Control)
 WDR YES

DVR



etech AHD-A9604 Mini

Main Processor HI3520D
Operating System Embedded LINUX
Video Input 4 Channel
Output 1xHDMI, 1xVGA, 1xCVBS
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322, DynDNS, changeip, no-ip
Smart Phone iPhone, iPad, Android
Hard Disk Type 1SATA Interface
Capacity Up to 4TB Capacity



etech AHD-A9604

Main Processor HI3531D
Operating System Embedded LINUX
Video Input 4 Channel
Output 1xHDMI, 1xVGA, 1xCVBS
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322, DynDNS, changeip, no-ip
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity



etech AHD-A9708

Main Processor Industrial embedded chip Hi3520D
Operating System Embedded LINUX
Video Input 8 Channel
Output 1xHDMI, 1xVGA, 1xCVBS
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322, DynDNS, changeip, no-ip
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity



etech AHD-A9816

Main Processor Industrial embedded chip Hi3520D
Operating System Embedded LINUX
Video Input 16 Channel
Output 1xHDMI, 1xVGA, 1xCVBS
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322, DynDNS, changeip, no-ip
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity

NVR



etech NVR-2604 Mini

Main Processor ARM Cortex A9 Processor(HI3520D)
Operating System Embedded LINUX
Video Input 4 Channel
Output 1CH Out/ VGA , 1CH Out/HDM (Support:1920*1080P)
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322.dynDNS,oray.myq-see,etc
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity



etech NVR-2604

Main Processor Industrial embedded chip Hi3520D
Operating System Embedded LINUX
Video Input 4 Channel
Output 1CH Out/ VGA , 1CH Out/HDM (Support:1920*1080P)
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322.dynDNS,oray.myq-see,etc
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity



etech NVR-2608

Main Processor Industrial embedded chip Hi3520D
Operating System Embedded LINUX
Video Input 8 Channel
Output 1CH Out/ VGA , 1CH Out/HDM (Support:1920*1080P)
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322.dynDNS,oray.myq-see,etc
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity



etech NVR-2616

Main Processor Industrial embedded chip Hi3520D
Operating System Embedded LINUX
Video Input 16 Channel
Output 1CH Out/ VGA , 1CH Out/HDM (Support:1920*1080P)
Video Compression H.264
Resolution AHD: 720P/1080P/4MP/3MP/,IPC: 2MP/1080P/960P/720P,Analog: 960H/D1
Backup Mode USB Device/Network
DDNS 3322.dynDNS,oray.myq-see,etc
Smart Phone iPhone, iPad, Android
Hard Disk Type 2SATA Interface
Capacity Up to 8TB Capacity

With etech you will start feeling a sense of security, which is priceless.
etech empowers you and prevents your home and office from becoming
easy targets.

Whether it is a crime or a minor tiff, your etech chronicles it, thereby
making it easy for you to investigate the actual happenings.



smart solution for smart people!

www.etechextended.com
www.dezireinteriors.co.in
www.aasthainteriors.com

0091 9974 088145 / 0091 9601 820209

Channel Partners:



Dealer's Space:



DUBAI

Pagoda House 10
Dubai Investment Park
PO Box 8948, Dubai
Tel: 00971 48831588
Fax: 00971 48831585

ABU DHABI

M-44, Block No.14
Office No.30, Mussafa
PO Box 113484, Abu Dhabi
Tel: 00971 25514458
Fax: 00971 25514459

KOCHI

Pushpak Ground Floor
Padivattom, Edapally PO
Cochin - 24
Tel: 0091 7356 554527
0091 9656195222

AHMEDABAD

Vandematram Arcade
Shop No. 24, 3rd Floor
New S.G. Road, Gota
Tel: 0091 9974 088145
0091 9601 820209